


TEA_MS_00

Zespół przejmujący:

Data nabycia:


25.07.2026

Komentarz:



Informacje o rzucie

Wersja pliku LSE:	4
Widok:	Top
Pełny rozmiar kafelka:	13.2787 x 27.3848 [m]
Rozdzielczość:	0.002 [m]
Promień skanu:	30 [m]
Rozmiar Arkusza:	A4
DPI Arkusza:	150 dpi



Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
0	0_TEA_MS_00_Base_1000_1950_-10	11.188	-109.907	-7.891	0.000	0.000	0.388
1	0_TEA_MS_00_Base_1000_1950_0	11.188	-109.907	2.109	0.000	0.000	0.388
2	0_TEA_MS_00_Base_1000_1960_-10	11.121	-99.907	-7.891	0.000	0.000	0.388
3	0_TEA_MS_00_Base_1000_1960_0	11.121	-99.907	2.109	0.000	0.000	0.388
4	0_TEA_MS_00_Base_1000_1960_10	11.121	-99.907	12.109	0.000	0.000	0.388
5	0_TEA_MS_00_Base_1000_1970_-10	11.053	-89.907	-7.891	0.000	0.000	0.388
6	0_TEA_MS_00_Base_1000_1970_0	11.053	-89.907	2.109	0.000	0.000	0.388
7	0_TEA_MS_00_Base_1000_1980_-10	10.985	-79.907	-7.891	0.000	0.000	0.388
8	0_TEA_MS_00_Base_1000_1980_0	10.985	-79.907	2.109	0.000	0.000	0.388
9	0_TEA_MS_00_Base_1000_1990_-10	10.917	-69.908	-7.891	0.000	0.000	0.388
10	0_TEA_MS_00_Base_1000_1990_0	10.917	-69.908	2.109	0.000	0.000	0.388
11	0_TEA_MS_00_Base_1000_1990_10	10.917	-69.908	12.109	0.000	0.000	0.388
12	0_TEA_MS_00_Base_1000_2000_0	10.849	-59.908	2.109	0.000	0.000	0.388
13	0_TEA_MS_00_Base_1000_2000_10	10.849	-59.908	12.109	0.000	0.000	0.388
14	0_TEA_MS_00_Base_1000_2010_10	10.782	-49.908	12.109	0.000	0.000	0.388
15	0_TEA_MS_00_Base_1000_2020_10	10.714	-39.908	12.109	0.000	0.000	0.388
16	0_TEA_MS_00_Base_1000_2020_20	10.714	-39.908	22.109	0.000	0.000	0.388
17	0_TEA_MS_00_Base_1000_2030_-10	10.646	-29.909	-7.891	0.000	0.000	0.388
18	0_TEA_MS_00_Base_1000_2030_0	10.646	-29.909	2.109	0.000	0.000	0.388
19	0_TEA_MS_00_Base_1000_2030_10	10.646	-29.909	12.109	0.000	0.000	0.388
20	0_TEA_MS_00_Base_1000_2040_-10	10.578	-19.909	-7.891	0.000	0.000	0.388
21	0_TEA_MS_00_Base_1000_2040_0	10.578	-19.909	2.109	0.000	0.000	0.388
22	0_TEA_MS_00_Base_1000_2050_-10	10.511	-9.909	-7.891	0.000	0.000	0.388
23	0_TEA_MS_00_Base_1000_2050_0	10.511	-9.909	2.109	0.000	0.000	0.388
24	0_TEA_MS_00_Base_1000_2060_-10	10.443	0.091	-7.891	0.000	0.000	0.388
25	0_TEA_MS_00_Base_1000_2060_0	10.443	0.091	2.109	0.000	0.000	0.388
26	0_TEA_MS_00_Base_1000_2060_10	10.443	0.091	12.109	0.000	0.000	0.388
27	0_TEA_MS_00_Base_1000_2070_-10	10.375	10.091	-7.891	0.000	0.000	0.388
28	0_TEA_MS_00_Base_1000_2070_0	10.375	10.091	2.109	0.000	0.000	0.388

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
29	0_TEA_MS_00_Base_1000_2070_10	10.375	10.091	12.109	0.000	0.000	0.388
30	0_TEA_MS_00_Base_1000_2080_-10	10.307	20.090	-7.891	0.000	0.000	0.388
31	0_TEA_MS_00_Base_1000_2080_0	10.307	20.090	2.109	0.000	0.000	0.388
32	0_TEA_MS_00_Base_1000_2080_10	10.307	20.090	12.109	0.000	0.000	0.388
33	0_TEA_MS_00_Base_1010_1960_-10	21.120	-99.839	-7.891	0.000	0.000	0.388
34	0_TEA_MS_00_Base_1010_1960_0	21.120	-99.839	2.109	0.000	0.000	0.388
35	0_TEA_MS_00_Base_1010_1960_10	21.120	-99.839	12.109	0.000	0.000	0.388
36	0_TEA_MS_00_Base_1010_1970_-10	21.053	-89.839	-7.891	0.000	0.000	0.388
37	0_TEA_MS_00_Base_1010_1970_0	21.053	-89.839	2.109	0.000	0.000	0.388
38	0_TEA_MS_00_Base_1010_1980_-10	20.985	-79.840	-7.891	0.000	0.000	0.388
39	0_TEA_MS_00_Base_1010_1980_0	20.985	-79.840	2.109	0.000	0.000	0.388
40	0_TEA_MS_00_Base_1010_1990_-10	20.917	-69.840	-7.891	0.000	0.000	0.388
41	0_TEA_MS_00_Base_1010_1990_0	20.917	-69.840	2.109	0.000	0.000	0.388
42	0_TEA_MS_00_Base_1010_1990_10	20.917	-69.840	12.109	0.000	0.000	0.388
43	0_TEA_MS_00_Base_1010_2000_-10	20.849	-59.840	-7.891	0.000	0.000	0.388
44	0_TEA_MS_00_Base_1010_2000_0	20.849	-59.840	2.109	0.000	0.000	0.388
45	0_TEA_MS_00_Base_1010_2000_10	20.849	-59.840	12.109	0.000	0.000	0.388
46	0_TEA_MS_00_Base_1010_2010_-10	20.781	-49.840	-7.891	0.000	0.000	0.388
47	0_TEA_MS_00_Base_1010_2010_0	20.781	-49.840	2.109	0.000	0.000	0.388
48	0_TEA_MS_00_Base_1010_2010_10	20.781	-49.840	12.109	0.000	0.000	0.388
49	0_TEA_MS_00_Base_1010_2020_-10	20.714	-39.841	-7.891	0.000	0.000	0.388
50	0_TEA_MS_00_Base_1010_2020_0	20.714	-39.841	2.109	0.000	0.000	0.388
51	0_TEA_MS_00_Base_1010_2020_10	20.714	-39.841	12.109	0.000	0.000	0.388
52	0_TEA_MS_00_Base_1010_2030_-10	20.646	-29.841	-7.891	0.000	0.000	0.388
53	0_TEA_MS_00_Base_1010_2030_0	20.646	-29.841	2.109	0.000	0.000	0.388
54	0_TEA_MS_00_Base_1010_2030_10	20.646	-29.841	12.109	0.000	0.000	0.388
55	0_TEA_MS_00_Base_1010_2040_-10	20.578	-19.841	-7.891	0.000	0.000	0.388
56	0_TEA_MS_00_Base_1010_2040_0	20.578	-19.841	2.109	0.000	0.000	0.388
57	0_TEA_MS_00_Base_1010_2050_-10	20.510	-9.841	-7.891	0.000	0.000	0.388

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
58	0_TEA_MS_00_Base_1010_2060_-10	20.443	0.159	-7.891	0.000	0.000	0.388
59	0_TEA_MS_00_Base_1010_2060_0	20.443	0.159	2.109	0.000	0.000	0.388
60	0_TEA_MS_00_Base_1010_2070_-10	20.375	10.158	-7.891	0.000	0.000	0.388
61	0_TEA_MS_00_Base_1010_2070_0	20.375	10.158	2.109	0.000	0.000	0.388
62	0_TEA_MS_00_Base_1010_2080_-10	20.307	20.158	-7.891	0.000	0.000	0.388
63	0_TEA_MS_00_Base_1020_1960_-10	31.120	-99.771	-7.891	0.000	0.000	0.388
64	0_TEA_MS_00_Base_1020_1970_-10	31.052	-89.772	-7.891	0.000	0.000	0.388
65	0_TEA_MS_00_Base_1020_1970_0	31.052	-89.772	2.109	0.000	0.000	0.388
66	0_TEA_MS_00_Base_1020_1980_-10	30.985	-79.772	-7.891	0.000	0.000	0.388
67	0_TEA_MS_00_Base_1020_1980_0	30.985	-79.772	2.109	0.000	0.000	0.388
68	0_TEA_MS_00_Base_1020_1990_-10	30.917	-69.772	-7.891	0.000	0.000	0.388
69	0_TEA_MS_00_Base_1020_1990_0	30.917	-69.772	2.109	0.000	0.000	0.388
70	0_TEA_MS_00_Base_1020_1990_10	30.917	-69.772	12.109	0.000	0.000	0.388
71	0_TEA_MS_00_Base_1020_2000_-10	30.849	-59.772	-7.891	0.000	0.000	0.388
72	0_TEA_MS_00_Base_1020_2000_0	30.849	-59.772	2.109	0.000	0.000	0.388
73	0_TEA_MS_00_Base_1020_2010_-10	30.781	-49.773	-7.891	0.000	0.000	0.388
74	0_TEA_MS_00_Base_1020_2020_-10	30.713	-39.773	-7.891	0.000	0.000	0.388
75	0_TEA_MS_00_Base_1020_2030_-10	30.646	-29.773	-7.891	0.000	0.000	0.388
76	0_TEA_MS_00_Base_1020_2040_-10	30.578	-19.773	-7.891	0.000	0.000	0.388
77	0_TEA_MS_00_Base_1020_2050_-10	30.510	-9.773	-7.891	0.000	0.000	0.388
78	0_TEA_MS_00_Base_1020_2060_-10	30.442	0.226	-7.891	0.000	0.000	0.388
79	0_TEA_MS_00_Base_1020_2070_-10	30.375	10.226	-7.891	0.000	0.000	0.388
80	0_TEA_MS_00_Base_1020_2080_-10	30.307	20.226	-7.891	0.000	0.000	0.388
81	0_TEA_MS_00_Base_970_1970_-10	-18.947	-90.110	-7.891	0.000	0.000	0.388
82	0_TEA_MS_00_Base_970_1970_0	-18.947	-90.110	2.109	0.000	0.000	0.388
83	0_TEA_MS_00_Base_970_1970_10	-18.947	-90.110	12.109	0.000	0.000	0.388
84	0_TEA_MS_00_Base_970_1970_20	-18.947	-90.110	22.109	0.000	0.000	0.388
85	0_TEA_MS_00_Base_970_1980_-10	-19.014	-80.111	-7.891	0.000	0.000	0.388
86	0_TEA_MS_00_Base_970_1980_0	-19.014	-80.111	2.109	0.000	0.000	0.388

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
87	0_TEA_MS_00_Base_970_1980_10	-19.014	-80.111	12.109	0.000	0.000	0.388
88	0_TEA_MS_00_Base_970_1980_20	-19.014	-80.111	22.109	0.000	0.000	0.388
89	0_TEA_MS_00_Base_970_1990_-10	-19.082	-70.111	-7.891	0.000	0.000	0.388
90	0_TEA_MS_00_Base_970_1990_0	-19.082	-70.111	2.109	0.000	0.000	0.388
91	0_TEA_MS_00_Base_970_1990_10	-19.082	-70.111	12.109	0.000	0.000	0.388
92	0_TEA_MS_00_Base_970_1990_20	-19.082	-70.111	22.109	0.000	0.000	0.388
93	0_TEA_MS_00_Base_970_2000_-10	-19.150	-60.111	-7.891	0.000	0.000	0.388
94	0_TEA_MS_00_Base_970_2000_0	-19.150	-60.111	2.109	0.000	0.000	0.388
95	0_TEA_MS_00_Base_970_2000_10	-19.150	-60.111	12.109	0.000	0.000	0.388
96	0_TEA_MS_00_Base_970_2000_20	-19.150	-60.111	22.109	0.000	0.000	0.388
97	0_TEA_MS_00_Base_970_2010_-10	-19.218	-50.111	-7.891	0.000	0.000	0.388
98	0_TEA_MS_00_Base_970_2010_0	-19.218	-50.111	2.109	0.000	0.000	0.388
99	0_TEA_MS_00_Base_970_2010_10	-19.218	-50.111	12.109	0.000	0.000	0.388
100	0_TEA_MS_00_Base_970_2010_20	-19.218	-50.111	22.109	0.000	0.000	0.388
101	0_TEA_MS_00_Base_970_2020_-10	-19.285	-40.112	-7.891	0.000	0.000	0.388
102	0_TEA_MS_00_Base_970_2020_0	-19.285	-40.112	2.109	0.000	0.000	0.388
103	0_TEA_MS_00_Base_970_2020_10	-19.285	-40.112	12.109	0.000	0.000	0.388
104	0_TEA_MS_00_Base_970_2030_-10	-19.353	-30.112	-7.891	0.000	0.000	0.388
105	0_TEA_MS_00_Base_970_2030_0	-19.353	-30.112	2.109	0.000	0.000	0.388
106	0_TEA_MS_00_Base_970_2030_10	-19.353	-30.112	12.109	0.000	0.000	0.388
107	0_TEA_MS_00_Base_970_2040_-10	-19.421	-20.112	-7.891	0.000	0.000	0.388
108	0_TEA_MS_00_Base_970_2040_0	-19.421	-20.112	2.109	0.000	0.000	0.388
109	0_TEA_MS_00_Base_970_2040_10	-19.421	-20.112	12.109	0.000	0.000	0.388
110	0_TEA_MS_00_Base_970_2050_-10	-19.489	-10.112	-7.891	0.000	0.000	0.388
111	0_TEA_MS_00_Base_970_2050_0	-19.489	-10.112	2.109	0.000	0.000	0.388
112	0_TEA_MS_00_Base_970_2060_-10	-19.556	-0.113	-7.891	0.000	0.000	0.388
113	0_TEA_MS_00_Base_970_2060_0	-19.556	-0.113	2.109	0.000	0.000	0.388
114	0_TEA_MS_00_Base_970_2070_-10	-19.624	9.887	-7.891	0.000	0.000	0.388
115	0_TEA_MS_00_Base_970_2070_0	-19.624	9.887	2.109	0.000	0.000	0.388

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
116	0_TEA_MS_00_Base_970_2070_10	-19.624	9.887	12.109	0.000	0.000	0.388
117	0_TEA_MS_00_Base_970_2080_-10	-19.692	19.887	-7.891	0.000	0.000	0.388
118	0_TEA_MS_00_Base_970_2080_0	-19.692	19.887	2.109	0.000	0.000	0.388
119	0_TEA_MS_00_Base_970_2080_10	-19.692	19.887	12.109	0.000	0.000	0.388
120	0_TEA_MS_00_Base_980_1940_-10	-8.743	-120.042	-7.891	0.000	0.000	0.388
121	0_TEA_MS_00_Base_980_1940_0	-8.743	-120.042	2.109	0.000	0.000	0.388
122	0_TEA_MS_00_Base_980_1950_-10	-8.811	-110.042	-7.891	0.000	0.000	0.388
123	0_TEA_MS_00_Base_980_1950_0	-8.811	-110.042	2.109	0.000	0.000	0.388
124	0_TEA_MS_00_Base_980_1960_-10	-8.879	-100.042	-7.891	0.000	0.000	0.388
125	0_TEA_MS_00_Base_980_1960_0	-8.879	-100.042	2.109	0.000	0.000	0.388
126	0_TEA_MS_00_Base_980_1960_10	-8.879	-100.042	12.109	0.000	0.000	0.388
127	0_TEA_MS_00_Base_980_1960_20	-8.879	-100.042	22.109	0.000	0.000	0.388
128	0_TEA_MS_00_Base_980_1970_-10	-8.947	-90.043	-7.891	0.000	0.000	0.388
129	0_TEA_MS_00_Base_980_1970_0	-8.947	-90.043	2.109	0.000	0.000	0.388
130	0_TEA_MS_00_Base_980_1970_10	-8.947	-90.043	12.109	0.000	0.000	0.388
131	0_TEA_MS_00_Base_980_1970_20	-8.947	-90.043	22.109	0.000	0.000	0.388
132	0_TEA_MS_00_Base_980_1980_-10	-9.015	-80.043	-7.891	0.000	0.000	0.388
133	0_TEA_MS_00_Base_980_1980_0	-9.015	-80.043	2.109	0.000	0.000	0.388
134	0_TEA_MS_00_Base_980_1980_10	-9.015	-80.043	12.109	0.000	0.000	0.388
135	0_TEA_MS_00_Base_980_1980_20	-9.015	-80.043	22.109	0.000	0.000	0.388
136	0_TEA_MS_00_Base_980_1990_-10	-9.082	-70.043	-7.891	0.000	0.000	0.388
137	0_TEA_MS_00_Base_980_1990_0	-9.082	-70.043	2.109	0.000	0.000	0.388
138	0_TEA_MS_00_Base_980_1990_10	-9.082	-70.043	12.109	0.000	0.000	0.388
139	0_TEA_MS_00_Base_980_1990_20	-9.082	-70.043	22.109	0.000	0.000	0.388
140	0_TEA_MS_00_Base_980_2000_-10	-9.150	-60.043	-7.891	0.000	0.000	0.388
141	0_TEA_MS_00_Base_980_2000_0	-9.150	-60.043	2.109	0.000	0.000	0.388
142	0_TEA_MS_00_Base_980_2000_10	-9.150	-60.043	12.109	0.000	0.000	0.388
143	0_TEA_MS_00_Base_980_2000_20	-9.150	-60.043	22.109	0.000	0.000	0.388
144	0_TEA_MS_00_Base_980_2010_-10	-9.218	-50.044	-7.891	0.000	0.000	0.388

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
145	0_TEA_MS_00_Base_980_2010_0	-9.218	-50.044	2.109	0.000	0.000	0.388
146	0_TEA_MS_00_Base_980_2010_10	-9.218	-50.044	12.109	0.000	0.000	0.388
147	0_TEA_MS_00_Base_980_2010_20	-9.218	-50.044	22.109	0.000	0.000	0.388
148	0_TEA_MS_00_Base_980_2020_-10	-9.286	-40.044	-7.891	0.000	0.000	0.388
149	0_TEA_MS_00_Base_980_2020_0	-9.286	-40.044	2.109	0.000	0.000	0.388
150	0_TEA_MS_00_Base_980_2020_10	-9.286	-40.044	12.109	0.000	0.000	0.388
151	0_TEA_MS_00_Base_980_2020_20	-9.286	-40.044	22.109	0.000	0.000	0.388
152	0_TEA_MS_00_Base_980_2030_-10	-9.353	-30.044	-7.891	0.000	0.000	0.388
153	0_TEA_MS_00_Base_980_2030_0	-9.353	-30.044	2.109	0.000	0.000	0.388
154	0_TEA_MS_00_Base_980_2030_10	-9.353	-30.044	12.109	0.000	0.000	0.388
155	0_TEA_MS_00_Base_980_2040_-10	-9.421	-20.044	-7.891	0.000	0.000	0.388
156	0_TEA_MS_00_Base_980_2040_0	-9.421	-20.044	2.109	0.000	0.000	0.388
157	0_TEA_MS_00_Base_980_2040_10	-9.421	-20.044	12.109	0.000	0.000	0.388
158	0_TEA_MS_00_Base_980_2050_-10	-9.489	-10.045	-7.891	0.000	0.000	0.388
159	0_TEA_MS_00_Base_980_2050_0	-9.489	-10.045	2.109	0.000	0.000	0.388
160	0_TEA_MS_00_Base_980_2050_10	-9.489	-10.045	12.109	0.000	0.000	0.388
161	0_TEA_MS_00_Base_980_2060_-10	-9.557	-0.045	-7.891	0.000	0.000	0.388
162	0_TEA_MS_00_Base_980_2060_0	-9.557	-0.045	2.109	0.000	0.000	0.388
163	0_TEA_MS_00_Base_980_2060_10	-9.557	-0.045	12.109	0.000	0.000	0.388
164	0_TEA_MS_00_Base_980_2070_-10	-9.624	9.955	-7.891	0.000	0.000	0.388
165	0_TEA_MS_00_Base_980_2070_0	-9.624	9.955	2.109	0.000	0.000	0.388
166	0_TEA_MS_00_Base_980_2070_10	-9.624	9.955	12.109	0.000	0.000	0.388
167	0_TEA_MS_00_Base_980_2080_-10	-9.692	19.955	-7.891	0.000	0.000	0.388
168	0_TEA_MS_00_Base_980_2080_0	-9.692	19.955	2.109	0.000	0.000	0.388
169	0_TEA_MS_00_Base_980_2080_10	-9.692	19.955	12.109	0.000	0.000	0.388
170	0_TEA_MS_00_Base_980_2080_20	-9.692	19.955	22.109	0.000	0.000	0.388
171	0_TEA_MS_00_Base_990_1940_-10	1.256	-119.974	-7.891	0.000	0.000	0.388
172	0_TEA_MS_00_Base_990_1940_0	1.256	-119.974	2.109	0.000	0.000	0.388
173	0_TEA_MS_00_Base_990_1950_-10	1.189	-109.974	-7.891	0.000	0.000	0.388

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
174	0_TEA_MS_00_Base_990_1950_0	1.189	-109.974	2.109	0.000	0.000	0.388
175	0_TEA_MS_00_Base_990_1960_-10	1.121	-99.975	-7.891	0.000	0.000	0.388
176	0_TEA_MS_00_Base_990_1960_0	1.121	-99.975	2.109	0.000	0.000	0.388
177	0_TEA_MS_00_Base_990_1960_10	1.121	-99.975	12.109	0.000	0.000	0.388
178	0_TEA_MS_00_Base_990_1960_20	1.121	-99.975	22.109	0.000	0.000	0.388
179	0_TEA_MS_00_Base_990_1970_-10	1.053	-89.975	-7.891	0.000	0.000	0.388
180	0_TEA_MS_00_Base_990_1970_0	1.053	-89.975	2.109	0.000	0.000	0.388
181	0_TEA_MS_00_Base_990_1970_10	1.053	-89.975	12.109	0.000	0.000	0.388
182	0_TEA_MS_00_Base_990_1970_20	1.053	-89.975	22.109	0.000	0.000	0.388
183	0_TEA_MS_00_Base_990_1980_-10	0.985	-79.975	-7.891	0.000	0.000	0.388
184	0_TEA_MS_00_Base_990_1980_0	0.985	-79.975	2.109	0.000	0.000	0.388
185	0_TEA_MS_00_Base_990_1980_10	0.985	-79.975	12.109	0.000	0.000	0.388
186	0_TEA_MS_00_Base_990_1980_20	0.985	-79.975	22.109	0.000	0.000	0.388
187	0_TEA_MS_00_Base_990_1990_-10	0.917	-69.975	-7.891	0.000	0.000	0.388
188	0_TEA_MS_00_Base_990_1990_0	0.917	-69.975	2.109	0.000	0.000	0.388
189	0_TEA_MS_00_Base_990_1990_10	0.917	-69.975	12.109	0.000	0.000	0.388
190	0_TEA_MS_00_Base_990_1990_20	0.917	-69.975	22.109	0.000	0.000	0.388
191	0_TEA_MS_00_Base_990_2000_-10	0.850	-59.976	-7.891	0.000	0.000	0.388
192	0_TEA_MS_00_Base_990_2000_0	0.850	-59.976	2.109	0.000	0.000	0.388
193	0_TEA_MS_00_Base_990_2000_10	0.850	-59.976	12.109	0.000	0.000	0.388
194	0_TEA_MS_00_Base_990_2000_20	0.850	-59.976	22.109	0.000	0.000	0.388
195	0_TEA_MS_00_Base_990_2010_-10	0.782	-49.976	-7.891	0.000	0.000	0.388
196	0_TEA_MS_00_Base_990_2010_0	0.782	-49.976	2.109	0.000	0.000	0.388
197	0_TEA_MS_00_Base_990_2010_10	0.782	-49.976	12.109	0.000	0.000	0.388
198	0_TEA_MS_00_Base_990_2020_-10	0.714	-39.976	-7.891	0.000	0.000	0.388
199	0_TEA_MS_00_Base_990_2020_0	0.714	-39.976	2.109	0.000	0.000	0.388
200	0_TEA_MS_00_Base_990_2020_10	0.714	-39.976	12.109	0.000	0.000	0.388
201	0_TEA_MS_00_Base_990_2020_20	0.714	-39.976	22.109	0.000	0.000	0.388
202	0_TEA_MS_00_Base_990_2030_-10	0.646	-29.976	-7.891	0.000	0.000	0.388

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
203	0_TEA_MS_00_Base_990_2030_0	0.646	-29.976	2.109	0.000	0.000	0.388
204	0_TEA_MS_00_Base_990_2030_10	0.646	-29.976	12.109	0.000	0.000	0.388
205	0_TEA_MS_00_Base_990_2040_-10	0.579	-19.977	-7.891	0.000	0.000	0.388
206	0_TEA_MS_00_Base_990_2040_0	0.579	-19.977	2.109	0.000	0.000	0.388
207	0_TEA_MS_00_Base_990_2050_-10	0.511	-9.977	-7.891	0.000	0.000	0.388
208	0_TEA_MS_00_Base_990_2050_0	0.511	-9.977	2.109	0.000	0.000	0.388
209	0_TEA_MS_00_Base_990_2060_-10	0.443	0.023	-7.891	0.000	0.000	0.388
210	0_TEA_MS_00_Base_990_2060_0	0.443	0.023	2.109	0.000	0.000	0.388
211	0_TEA_MS_00_Base_990_2060_10	0.443	0.023	12.109	0.000	0.000	0.388
212	0_TEA_MS_00_Base_990_2070_-10	0.375	10.023	-7.891	0.000	0.000	0.388
213	0_TEA_MS_00_Base_990_2070_0	0.375	10.023	2.109	0.000	0.000	0.388
214	0_TEA_MS_00_Base_990_2070_10	0.375	10.023	12.109	0.000	0.000	0.388
215	0_TEA_MS_00_Base_990_2080_-10	0.308	20.023	-7.891	0.000	0.000	0.388
216	0_TEA_MS_00_Base_990_2080_0	0.308	20.023	2.109	0.000	0.000	0.388
217	0_TEA_MS_00_Base_990_2080_10	0.308	20.023	12.109	0.000	0.000	0.388
218	Theater_Smaller_001	-4.956	0.374	1.254	0.000	0.000	109.764
219	Theater_Smaller_002	-4.841	1.179	1.256	0.000	0.000	130.076
220	Theater_Smaller_003	-4.996	2.408	1.257	0.000	0.000	-64.311
221	Theater_Smaller_004	-4.288	2.476	1.256	0.000	0.000	-74.653
222	Theater_Smaller_005	-3.786	2.082	1.254	0.000	0.000	-145.407
223	Theater_Smaller_006	-4.935	6.789	1.256	0.000	0.000	61.829
224	Theater_Smaller_007	-3.675	10.389	1.258	0.000	0.000	8.768
225	Theater_Smaller_008	-1.012	10.419	1.256	0.000	0.000	-111.598
226	Theater_Smaller_009	-6.362	11.046	1.268	0.000	0.000	8.781
227	Theater_Smaller_010	-5.718	11.485	1.263	0.000	0.000	-167.991
228	Theater_Smaller_011	-5.759	12.142	1.271	0.000	0.000	66.384
229	Theater_Smaller_012	-6.514	12.974	1.274	0.000	0.000	44.625
230	Theater_Smaller_013	-6.695	14.636	1.272	0.000	0.000	43.360
231	Theater_Smaller_014	-4.521	14.088	1.272	0.000	0.000	-123.581

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
232	Theater_Smaller_015	-2.369	16.910	1.275	0.000	0.000	-2.416
233	Theater_Smaller_016	-2.957	21.158	2.795	0.000	0.000	72.946
234	Theater_Smaller_017	1.890	17.234	1.272	0.000	0.000	-18.385
235	Theater_Smaller_018	2.214	21.261	1.271	0.000	0.000	57.237
236	Theater_Smaller_019	1.959	14.728	1.274	0.000	0.000	108.559
237	Theater_Smaller_020	1.360	12.872	1.272	0.000	0.000	-103.102
238	Theater_Smaller_021	1.104	11.874	1.281	0.000	0.000	-53.064
239	Theater_Smaller_022	0.838	10.354	1.264	0.000	0.000	-6.568
240	Theater_Smaller_023	1.304	5.465	1.251	0.000	0.000	-19.227
241	Theater_Smaller_024	-0.656	5.492	1.251	0.000	0.000	-119.903
242	Theater_Smaller_025	-1.859	5.402	1.250	0.000	0.000	-79.145
243	Theater_Smaller_026	-3.189	5.389	1.250	0.000	0.000	-86.642
244	Theater_Smaller_027	1.348	3.985	1.251	0.000	0.000	-53.946
245	Theater_Smaller_028	-0.642	3.964	1.255	0.000	0.000	-135.132
246	Theater_Smaller_029	-1.858	4.049	1.252	0.000	0.000	-145.560
247	Theater_Smaller_030	-3.252	3.902	1.253	0.000	0.000	-73.841
248	Theater_Smaller_031	1.268	2.365	1.248	0.000	0.000	-137.211
249	Theater_Smaller_032	-0.629	2.401	1.251	0.000	0.000	52.439
250	Theater_Smaller_033	-1.611	2.503	1.253	0.000	0.000	-12.472
251	Theater_Smaller_034	0.399	0.672	1.251	0.000	0.000	6.500
252	Theater_Smaller_035	-6.424	3.367	1.252	0.000	0.000	-164.800
253	Theater_Smaller_036	-6.612	7.044	2.975	0.000	0.000	94.205
254	Theater_Smaller_037	-6.590	10.826	4.670	0.000	0.000	120.106
255	Theater_Smaller_038	-5.159	10.833	4.667	0.000	0.000	5.017
256	Theater_Smaller_039	-5.200	7.311	4.666	0.000	0.000	-64.181
257	Theater_Smaller_040	-5.849	3.725	4.665	0.000	0.000	163.191
258	Theater_Smaller_041	-6.644	7.781	5.824	0.000	0.000	53.642
259	Theater_Smaller_042	-6.464	11.029	7.033	0.000	0.000	-20.344
260	Theater_Smaller_043	-2.974	11.016	8.758	0.000	0.000	-79.358

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
261	Theater_Smaller_044	-2.032	10.128	8.756	0.000	0.000	-109.995
262	Theater_Smaller_045	-2.455	11.841	8.753	0.000	0.000	-43.667
263	Theater_Smaller_046	-2.617	13.131	8.727	0.000	0.000	-111.155
264	Theater_Smaller_047	0.256	18.845	8.319	0.000	0.000	-18.588
265	Theater_Smaller_048	-5.620	19.385	8.323	0.000	0.000	95.651
266	Theater_Smaller_049	-0.889	10.802	8.753	0.000	0.000	-134.158
267	Theater_Smaller_050	0.326	11.030	8.852	0.000	0.000	-175.066
268	Theater_Smaller_051	-0.905	9.672	8.756	0.000	0.000	-151.650
269	Theater_Smaller_052	0.285	8.561	8.757	0.000	0.000	-174.691
270	Theater_Smaller_053	-2.295	8.474	8.755	0.000	0.000	124.511
271	Theater_Smaller_054	-2.292	6.368	8.761	0.000	0.000	148.006
272	Theater_Smaller_055	1.185	5.750	8.750	0.000	0.000	-107.029
273	Theater_Smaller_056	-4.200	3.575	8.752	0.000	0.000	76.650
274	Theater_Smaller_057	-4.712	2.588	8.734	0.000	0.000	-174.075
275	Theater_Smaller_058	-5.079	1.661	8.733	0.000	0.000	-150.421
276	Theater_Smaller_059	-1.885	1.949	8.742	0.000	0.000	-42.930
277	Theater_Smaller_060	0.709	1.609	8.725	0.000	0.000	-43.748
278	Theater_Smaller_061	-4.441	11.076	4.669	0.000	0.000	-10.303
279	Theater_Smaller_062	-3.415	11.307	4.678	0.000	0.000	-4.177
280	Theater_Smaller_063	-3.642	12.030	4.668	0.000	0.000	86.705
281	Theater_Smaller_064	-3.540	12.858	4.653	0.000	0.000	22.597
282	Theater_Smaller_065	-6.680	13.312	4.659	0.000	0.000	172.237
283	Theater_Smaller_066	-6.848	22.686	4.658	0.000	0.000	53.998
284	Theater_Smaller_067	1.910	22.662	4.657	0.000	0.000	106.956
285	Theater_Smaller_068	1.910	13.280	4.659	0.000	0.000	-155.498
286	Theater_Smaller_069	-5.214	4.579	4.670	0.000	0.000	130.119
287	Theater_Smaller_070	-4.353	4.467	4.666	0.000	0.000	133.087
288	Theater_Smaller_071	-3.195	4.451	4.665	0.000	0.000	153.772
289	Theater_Smaller_072	-2.413	4.512	4.665	0.000	0.000	151.493

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
290	Theater_Smaller_073	-1.971	5.206	4.666	0.000	0.000	-138.236
291	Theater_Smaller_074	-4.378	6.749	4.664	0.000	0.000	-143.846
292	Theater_Smaller_075	-2.464	6.742	4.655	0.000	0.000	-58.647
293	Theater_Smaller_076	-4.352	9.098	4.665	0.000	0.000	-138.380
294	Theater_Smaller_077	-2.551	9.075	4.665	0.000	0.000	-75.848
295	Theater_Smaller_078	-5.671	3.247	4.667	0.000	0.000	126.770
296	Theater_Smaller_079	-4.324	3.306	4.666	0.000	0.000	126.265
297	Theater_Smaller_080	-3.160	3.185	4.667	0.000	0.000	117.705
298	Theater_Smaller_081	-2.379	2.849	4.671	0.000	0.000	104.878
299	Theater_Smaller_082	-1.854	2.247	4.668	0.000	0.000	-94.833
300	Theater_Smaller_083	-1.107	1.960	4.666	0.000	0.000	-77.156
301	Theater_Smaller_084	-5.141	1.845	4.667	0.000	0.000	-69.009
302	Theater_Smaller_085	-5.227	1.274	4.667	0.000	0.000	-60.114
303	Theater_Smaller_086	-5.188	0.686	4.670	0.000	0.000	-50.719
304	Theater_Smaller_087	-3.852	1.800	4.662	0.000	0.000	-36.624
305	Theatre-external-2- Setup 011	-24.003	36.072	0.437	0.000	0.000	-0.914
306	Theatre-external-2- Setup 012	-24.590	26.190	0.481	0.000	0.000	-22.160
307	Theatre-external-2- Setup 013	-24.743	15.963	0.285	0.000	0.000	-77.900
308	Theatre-external-2- Setup 014	-24.120	5.919	0.115	0.000	0.000	-72.573
309	Theatre-external-2- Setup 015	-24.053	-3.472	-0.044	0.000	0.000	-81.878
310	Theatre-external-2- Setup 016	-23.326	-7.233	-0.216	0.000	0.000	-77.189
311	Theatre-external-2- Setup 017	15.099	29.165	0.773	0.000	0.000	61.197
312	Theatre-external-2- Setup 018	20.304	25.448	0.914	0.000	0.000	-33.510
313	Theatre-external-2- Setup 019	28.970	22.460	1.015	0.000	0.000	74.169
314	Theatre-external-2- Setup 020	29.537	2.401	0.892	0.000	0.000	82.822
315	Theatre-externals_006	7.511	-8.790	1.583	0.000	0.000	-71.040
316	Theatre-externals_007	1.096	-18.398	1.519	0.000	0.000	-31.407
317	Theatre-externals_009	-3.248	-20.607	1.633	0.000	0.000	-151.816
318	Theatre-externals_037	7.998	-17.646	1.654	0.000	0.000	-140.890

Scan Information

Scan #	Scan Name	Pos X [m]	Pos Y [m]	Pos Z [m]	Omega (°)	Phi (°)	Kappa (°)
319	Theatre-externals_066	7.443	-1.021	1.688	0.000	0.000	128.743
320	Theatre-externals_067	4.339	4.608	1.698	0.000	0.000	68.584
321	Theatre-externals_068	6.965	8.872	1.680	0.000	0.000	68.217
322	Theatre-externals_069	7.467	13.762	1.633	0.000	0.000	5.598
323	Theatre-externals_070	6.933	18.203	1.592	0.000	0.000	62.859
324	Theatre-externals_071	16.288	12.010	1.507	0.000	0.000	6.462
325	Theatre-externals_072	22.933	8.248	1.599	0.000	0.000	-59.706
326	Theatre-externals_074	16.065	-0.810	1.694	0.000	0.000	155.754
327	Theatre-externals_075	-4.529	-1.305	1.542	0.000	0.000	67.793
328	Theatre-externals_078	-0.114	-2.045	1.534	0.000	0.000	-120.583

